



COLD  
ENGINEERING  
**TECFRIGO**

Conservare  
è  
un'Arte



Vinetrolley




*Vi offriamo  
un'ampia gamma  
di modelli,  
per garantire una  
perfetta conservazione  
del Vostro vino*

**Enotec 340 (1TV-P)**



**Enotec 340 (1TV)**




**Enotec 340 (3TV)**




**Enotec 680 (1TV-P)**



**Enotec 680 (1TV)**




**Enotec 680 (3TV)**







*Grotta 600 (2TV)*



*Grotta 600 (5TV)*



*Cantinetta GLX*



*Maxicantinetta GLX*



*Enoprestige 400 (4TV-1TV)*





*Bodega 400 (4TV-1TV)*



*Bodega 800 (4TV-1TV)*



*Perla*

*Eurowine 110*

*NEW*



*Eurowine 220*

*NEW*



*Creative 220*

*NEW*



*Ducale 220*

*NEW*





*Perla 200*



*Perla 250*



*CC45*



*Eurowine 220 Stock*

**NEW**



*Creative 220 Stock*

**NEW**



*Ducale 220 Stock*

**NEW**





OPTIONALS

*Wine 155*



*Wine 185*



*Wine 155 Black*

**NEW**




*Wine 185 Black*

**NEW**




*Wine Collection 185*





# Wine





*Sommelier*



*Wine 32*

*NEW*



*Wine 32/1*

*NEW*



*Wine 38*



*Wine 45*



*Sommelier 481*

*NEW*



*Sommelier 482*

*NEW*





# VKG Black

**VKG 511 Black**



**VKG 581 Black**



**CVKS 680 Black**



**CVKS 681 Black**





*Winconsolle 6 - Wineconsolle 8*



*Lampo 2 - Lampo 3 (Shockfroster)*



*Wine Point 152*



*TFGV 138*



*Bacco 350*



*Bacco 700*



*Vino 400 C*



*Cave 370*



*Cave 500*





	°C	LxPxH	Lt.	Watt							
<b>TECFRIGO</b>											
Vinetrolley	+5/+18	mm. 1042x500x842	-	276		•	auto	60	-	-	-
Enotec 340 (1TV-P)	+5/+18	mm. 595x711x1810	340	600	•	•	auto	112	n. 3 mm. 470x526	Optional	LED di serie
Enotec 340 (1TV)	+5/+18	mm. 595x711x1810	340	600	•	•	auto	112	n. 3 mm. 450x526	Optional	LED di serie
Enotec 340 (3TV)	+5/+9/+18	mm. 595x711x1810	340	600	•	•	auto	112	n. 3 mm. 450x526	Optional	LED di serie
Enotec 680 (1TV-P)	+5/+18	mm. 1000x711x1810	680	700	•	•	auto	168	n. 3 mm. 460x929	Optional	LED di serie
Enotec 680 (1TV)	+5/+18	mm. 1000x711x1810	680	700	•	•	auto	168	n. 3 mm. 450x929	Optional	LED di serie
Enotec 680 (3TV)	+5/+9/+18	mm. 1000x711x1810	680	700	•	•	auto	168	n. 3 mm. 450x929	Optional	LED di serie
Grotta 600 (2TV)	+5/+16 • +16/+18	mm. 1201x523x1922	600	780	•	•	auto	201	n. 4+4 mm. 253x554	Optional	LED di serie
Grotta 600 (5TV)	+5/+7/+10/+18 +16/+18	mm. 1201x523x1922	600	560		•	auto	201	n. 4 mm. 328x342 n. 4 mm. 253x766	Optional	LED di serie
Bodega 400 (4TV-1TV)	+5/+7/+10/+16 +5/+18	mm. 574x661x1987	340	600	1 TV	4 TV	auto	117	n. 4 mm. 364x513	Optional	LED di serie
Bodega 800 (4TV-1TV)	+5/+7/+10/+16 +5/+18	mm. 1090x661x1987	680	700	1 TV	4 TV	auto	199	n. 4 mm. 364x1027	Optional	LED di serie
Enoprestige 400 (4TV-1TV)	+5/+7/+10/+16 +5/+16	mm. 827x523x1930	400	650	1 TV	4 TV	auto	134	n. 4 mm. 300x765	Optional	LED di serie
Cantinetta GLX	+6/+16	mm. 695x650x1880	355	125		•	auto	94	n. 5 mm. 512x395	Di serie	LED di serie
Maxicanfinetta GLX	+6/+16	mm. 1325x650x1880	355+355	250		•	auto	185	n. 10 mm. 512x395	Di serie	LED di serie
Eurowine 110	+2/+10	mm. 560x622x900	106	96	•	•	auto	50	n. 2 mm. 418x432 + n. 1 mm. 413x288	Optional	LED di serie
Eurowine 220	+2/+10 +5/+10 • +10/+18	mm. 1090x600x900	106+106	96+96	•	•	auto	100	n. 2 mm. 418x432 + n. 1 mm. 413x288 n. 4 mm. 418x426 + n. 2 mm. 413x288	Optional	LED di serie
Eurowine 220 Stock	+2/+10 +5/+10 • +10/+18	mm. 1542x632x890	106+106	96+96	•	•	auto	110	n. 2 mm. 418x432 + n. 1 mm. 413x288 n. 4 mm. 418x426 + n. 2 mm. 413x288	Optional	LED di serie
Creative 220	+2/+10 +5/+10 • +10/+18	mm. 1105x620x1150	106+106	96+96	•	•	auto	106	n. 2 mm. 418x432 + n. 1 mm. 413x288 n. 4 mm. 418x426 + n. 2 mm. 413x288	Optional	LED di serie
Creative 220 Stock	+2/+10 +5/+10 • +10/+18	mm. 1542x620x1150	106+106	96+96	•	•	auto	110	n. 2 mm. 418x432 + n. 1 mm. 413x288 n. 4 mm. 418x426 + n. 2 mm. 413x288	Optional	LED di serie
Ducale 220	+2/+10 +5/+10 • +10/+18	mm. 1105x620x1920	106+106	96+96	•	•	auto	115	n. 2 mm. 418x432 + n. 1 mm. 413x288 n. 4 mm. 418x426 + n. 2 mm. 413x288	Optional	LED di serie
Ducale 220 Stock	+2/+10 +5/+10 • +10/+18	mm. 1542x620x1920	106+106	96+96	•	•	auto	176	n. 2 mm. 418x432 + n. 1 mm. 413x288 n. 4 mm. 418x426 + n. 2 mm. 413x288	Optional	LED di serie
CC45	+2/+8	mm. 01505x835	45	100		•	manuale	24	-	-	-
Perla 200	+4/+10 • +5/+16	mm. 960x350x800	200	60	•	•	auto	51	n. 1 mm. 836x205	-	Neon di serie
Perla 250	+4/+10 • +5/+16	mm. 800x400x1075	250	60	•	•	auto	61	n. 2 mm. 676x255	-	Neon di serie
Wine 32	+5/+10 • +10/+18	mm. 493x625x830	106	96	•	•	auto	40	n. 4 mm. 418x426 n. 2 mm. 413x288	-	LED di serie
Wine 32/1	+2/+10	mm. 493x625x830	106	96	•	•	auto	40	n. 2 mm. 418x432 n. 1 mm. 413x288	-	LED di serie
Wine 38	+5/+18 • +5/+18	mm. 600x610x820	140	110	•	•	auto	53	n. 12 mm. 220x445	-	LED di serie
Wine 45	+5/+10 • +10/+18	mm. 595x575x820	145	125	•	•	auto	51	n. 5 mm. 520x445	-	LED di serie
Wine 155	+8/+18	mm. 600x670x1560	298	170	•	•	auto	70	n. 3 mm. 520x440 + n. 1 mm. 520x360 + n. 1 mm. 520x230	Di serie	LED di serie
Wine 155 Black	+8/+18	mm. 600x670x1560	298	170	•	•	auto	70	n. 3 mm. 520x440 + n. 1 mm. 520x360 + n. 1 mm. 520x230	Di serie	LED di serie
Wine 185	+8/+18	mm. 600x670x1860	368	170	•	•	auto	83	n. 5 mm. 520x440 + n. 1 mm. 520x360	Di serie	LED di serie
Wine 185 Black	+8/+18	mm. 600x670x1860	368	170	•	•	auto	83	n. 5 mm. 520x440 + n. 1 mm. 520x360	Di serie	LED di serie
Wine Collection 185	+8/+18	mm. 615x637x1860	395	170	•	•	auto	118	n. 5 mm. 520x440 + n. 1 mm. 520x360	Di serie	LED di serie
Sommelier 481	+3/+22	mm. 595x680x1840	480	170	•	•	auto	90	n. 17 mm. 506x535	Di serie	LED di serie
Sommelier 482	+3/+10 • +10/+22	mm. 595x680x1840	480	170	•	•	auto	90	n. 16 mm. 506x535	Di serie	LED di serie
VKG 511 Black	+6/+16	mm. 595x595x1550	300	125		•	auto	66	n. 4 mm. 512x395	Di serie	LED di serie
VKG 581 Black	+6/+16	mm. 595x595x1850	355	125		•	auto	71	n. 5 mm. 512x395	Di serie	LED di serie
CVKS 680 Black	+6/+16	mm. 600x632x1860	338	125		•	auto	64	n. 5 mm. 510x395	Di serie	Neon di serie
CVKS 681 Black	+6/+16	mm. 600x632x1860	341	125		•	auto	62	n. 5 mm. 510x395	Di serie	Neon di serie

<b>COLDMASTER</b>											
Lampo 2	-35	mm. 495x495x420	-	265		•	manuale	32	-	-	-
Lampo 3	-35	mm. 590x495x427	-	300		•	manuale	34	-	-	-
Wineconsolle 6	+5/+18	mm. 600x382x224	-	94		•	auto	16	-	-	-
Wineconsolle 8	+5/+18	mm. 710x382x224	-	94		•	auto	17	-	-	-

<b>FROSTEMILY</b>											
Wine Point 152	+6/+14	mm. 450x475x855	92	90		•	auto	33	n. 5 mm. 381x295 + n. 1 mm. 376x381 n. 1 portabottiglie per 6 bottiglie	-	LEDs di serie
TFGV 138	+10/+18	mm. 595x640x1840	345	270		•	manuale	74	n. 5 mm. 498x395	Di serie	Neon di serie
Bacco 350	+10/+18	mm. 617x653x1841	345	270		•	manuale	105	n. 5 mm. 498x395	Di serie	Neon di serie
Bacco 700	+10/+18	mm. 1242x653x1841	345+345	270+270		•	manuale	202	n. 5+5 mm. 498x395	Di serie	Neon di serie
Vino 400 C	+10/+18	mm. 595x640x1840	372	270		•	manuale	74	n. 5 mm. 498x395	Di serie	Neon di serie
Cave 370 1TV	+5/+18	mm. 723x550x1598	370	600	•	•	auto	101	n. 3 mm. 360x670	Optional	Neon di serie
Cave 370 2TV	+5/+11 • +14/+18	mm. 723x550x1598	370	600	•	•	auto	101	n. 3 mm. 360x670	Optional	Neon di serie
Cave 500 1TV	+5/+18	mm. 723x550x1955	500	600	•	•	auto	126	n. 4 mm. 360x670	Optional	Neon di serie
Cave 500 2TV	+9/+12 • +16/+18	mm. 723x550x1955	500	600	•	•	auto	126	n. 4 mm. 360x670	Optional	Neon di serie

Tensione / Tension 230V/50Hz      Dati tecnici e pesi provvisori / Technical data and interim weights / Données techniques et poids provisoires / Technische Daten und vorläufige Gewichte / Datos técnicos y pesos provisionales



TECFRIGO s.p.a.  
42024 Castelnuovo di Sotto - (Reggio Emilia) Italy - Via Galileo Galilei, 22 - Tel. 0522.683246 • 0522.688443  
Fax uff. amministrazione 0522.688444 - Fax uff. vendite 0522.682196 - Fax uff. acquisti/tecnico 0522.682311  
e-mail: info@tecfriigo.com - http://www.tecfriigo.com



Organizzazione con sistema di gestione certificato ISO 9001:2008

TECFRIGO



www.frostemily.com



www.coldmaster.com